

SAMSUNG

MJC-760 Series



! (VMS) 080-023-8484 ()
OK! 24 24 , ,
()
A/S

() 1999
(C) Copyright SAMSUNG ELECTRONICS Co., Ltd.
1999 All rights reserved

() 가

MJC-760 Series

Centronics Centronics Data Computer
HP, HP PCL 3 Hewlett-Packard
IBM, IBM PC, XT, AT, PS/2 International Business Machines

TrueType Apple Computer
Microsoft, MS-WINDOWS, MS-DOS Microsoft

Lotus, Lotus123 Lotus Development Corporation

한글, HWP

가





1

1.1

2

1.4

3

1.6



2.1

95/98	2.2
	2.5
CD-ROM	가
(95/98)
95/98	2.8
3.1	2.9
3.1	2.10
3.1	2.14
DOS	2.15



DOS

가

3.2 DOS 한글 3.11

3.3 Lotus1-2-3, 3.14

3.8 , MY- +, V

3.16

AutoCAD 3.21



,	4.2		4.11
-	4.4	(95/98)	4.15
(, ,)	4.6	(3.1)	4.19
	4.8		



	5.1	(Self Test)	5.8
	5.4		5.9
/	5.5	가	5.10



	6.1	?	6.19
가	6.2		
가	6.3	?	6.21
DOS	6.6		6.22
	6.13		6.24
가	6.15		6.25
가	6.17	/ / /	6.29
	6.18		

1.


1

:

2


3

가






95/98/3.1

CD-ROM






/







가




가








2



5




/	1
/	1
/	/




가

(OHP),


1 가




2



3




4 .




5 .

가



6




(A4, B5, A5, A6, Executive)

가

. (: A4-MJ/SIJ)

	60 ~ 70
	30

2.



1

95/98

2.2

2

3.1

2.10


3

DOS

2.15

CD

CD



CPU	486DX 66MHz	
	8MB	16MB
	10MB	50MB
OS	3.1	95/98




• CD-ROM


NT 4.0
NT

<http://www.sec.co.kr/printer>

CD




95/98 PnP ()
가



1

MJC-760
CD


PnP 가 가




2 CD-ROM
CD

CD

' e: setup.exe '
(e CD-ROM)



3 WIN




4

가


가

가




5 on LPT1

6




7

가




8



9


가



10

(: INK-M10, INK-M20)

가



11

가

12

13

가


6



CD-ROM

가

가



1


CD-ROM
CD

CD

CD-ROM 'setup.exe'



2





3

MJC-760 Series

4

가



가

가

가


가



CD-ROM

가
(

95/98)



1 CD-ROM
CD

CD

'e: setup.exe'
(e: CD-ROM)




2

3

1.44 가

3


- 3.1/95/98: 2
- DOS: 1



4


가

- 가




1

MJC-760



2




3




가


필요하지 않은 옵션 선택



4

3.1






6

가

가


가



7


on LPT1

8




9

가




10



11

가




12

(: INK-M10, INK-M20)


가



2.12



13 가



14


15

16 가 , 8 .




3.1

- 가




1 760

MJC-




2



3



가




4


DOS

DOS 한글, AutoCAD, Lotus1-2-3,

DOS



1 CD-ROM
CD



2

95/98

CD

'e: setup.exe'

(e CD-ROM)

3.1


CD

'e: setup.exe'

(e CD-ROM)


3

설치 시작(S)



4

설치 완료(F)



4

종료(E)

참조

KS/KSSM

한글

(2.1 가)

AutoCAD

3.



1


3.1


2

DOS

3.10

95/98 3.1





1


2



3

가


가



3.3~3.7

가

용지




1
'1'





문서종류/컬러



가



가







중간색



	()




3.1



DOS


DOS



DOS 한글


• DOS 가 . (2.15)

) 한글 3.0



1  


2 



3 

4 

한글 2.1



5   

6 

) 한글 2.1()




1.

DOS ? (2.15 “ DOS ”)

2.

C:\>myjet\mjrcp Enter

3. KS KSSM



KS KSSM


KS MY- , Lotus1-2-3, , MY WORKS, , MY SHEETS

KSSM V, MY- +, MY WORKS

4. KS/KSSM

C:\>myjet\mjprn Enter

5. 한글




1

Ctrl + P

2

Enter ↵



3


Enter ↵

42 3 KS
" KS 24 ", KSSM
" KSSM 24 "

4

Esc

Alt + P



5

Enter ↵

6. KS/KSSM

C:\W>myjetWmjprn/u

Enter ↵



KS/KSSM

가

가

40KB

KS/KSSM

Lotus1-2-3,

(DOS 가 .)


1.



1

MJC-760
on LPT1


2.



2


선택사항(O)

(☐)



3

DOS 인쇄




4

3.8

DOS

3.



5

MS-DOS

• Lotus 1-2-3,

3.1

1

MJC-760

on LPT1

2

선택사항

DOS

3

DOS 인쇄

4

MS-DOS

3.15


,MY- +, V

KS/KSSM

1.


1. 3.8

DOS



2. 3.14

DOS



3.

? (2.15 “ ”)


2.

C:\>myjetWmjrc

Enter ↵

3.16

3. KS KSSM




KS
KSSM


KS
MY- , Lotus1-2-3, , MY
WORKS, , MY SHEETS

KSSM
V, MY- +, MY WORKS

4.



1




(0 ~ 2inch)


4.

()

KS/KSSM



2 KS/KSSM



5. KS/KSSM

C:\>myjet\mjprn

Enter ↵

6.



7. KS/KSSM

C:\>myjet\mjprn/u

Enter ↵




KS/KSSM

가

가

40KB

KS/KSSM



1 () () Ctrl ,

2

1 (10, 12, 13.3, 15CPI)
가
(6, 8 LPI)
50 ~ 150%
(1 ~ 10)

3




KS/KSSM

AutoCAD

AutoCAD

. (2.15 “DOS ”)



AutoCAD(R11)

AutoCAD “ Main Menu ” 5 “ 5. Configure AutoCAD ” .
“ Configuration Menu ”가 <Enter> .
“ Configuration Menu ” “ 5. Configure plotter ” .
가 Y .
“ Available Plotters ” 2 “ 2. ADI P386 Plotter ” .
“ Supported Model ” “ SAMSUNG MyJet-II Printer ” .
“ DOS AutoCAD(R12/R13) ” .
(3.22) 6 .

AutoCAD(R12/R13)

AutoCAD

가

.

(Command) config

.

“ Configuration Menu ”가

<Enter>

.

“ Configuration Menu ” 5 “ 5. Configure plotter ”

.

“ Plotter Configuration Menu ” 1 “ 1. Add Plotter ”

.

“ Available Plotters Menu ” “ SAMSUNG MyJet-II Printer ”

.

P(Parallel) S(Serial)

.

“ Printing Color Mode ” 0(Mono) 1(Color)

.

LPT1 LPT2

.

N

.

<Enter>

.

☰ <Enter> “ Main Menu ”

.

☰

<Enter>

.

AutoCAD

.

AutoCAD “ Plot ”

.

“ Device and Default Selection ”

“ SAMSUNG MyJet-II Printer ”

.

.

AutoCAD

, (2.2~2.13)

AutoCAD

가 SYSTEM PRINTER

. SYSTEM PRINTER

.

가 ,

SYSTEM PRINTER

.

4.






4.2 ,



4.4 -



(, ,)
4.6



4.8




,


2000



- , ,
- / 가 가
- 가
-



1



2

3

4


5

5.10

6 ' 1 '





가



10

가

• 가 가





11

가



12



13





2

9 ~ 12



2000



가
(: P-SHIRTS)



1




2

3

4

5 ' 1 '




6 /

7 T-

8




9

가



10 가

• 가 가 .



13




2

9 ~12



(, ,)

2000



1




2

3


4

5

' 1 '



가



10 가





• 가 가



가

11 가

12



13



2

9 ~ 12




2000




(A4)

•
•
•

가



1



2





3

4

5 ' 1 '



가





(95/98)



(3.1)

가

3.1



1

MJC-760
on LPT1

95/98

1

MJC-760
on LPT1



DOS

(4.14)


(4.13)

(4.12)



4.11

상태(S)



4.12


선택사관⑩





4.11

카트리지(C)



4.14




가

PC

가


PC



1



2



3

4


5

6

7




가



8






14




15



16





가
가

(C:\windows\system\wssplmgr.exe)




(4.13)

(3.1)




가 PC 가 PC






4



5




6

7

8

9

가



10

(5)

11



가
가


(C:\windows\system\wssplmgr.exe)

(95/98/3.1)

1

C

가




2

MJC-760
on LPT1


3

4



5





(4.13)

MEMO

5.

1

2

3

4

5



가

천주 발생
인쇄 품질
저하 발생



가


1

MJC-760
on LPT1


2

가

3



4



3

가

(5.2)


가

6.29
5.5


가

1


MJC-760
on LPT1





2



3




4



가




5




6

가



7



8

(5.1)




가
가



가

6.29
5.5



1

MJC-760

on LPT1


2

3

4

5

6



가

확인



C:\myjet>mjrcp

Enter ↵




/

INK-C10

INK-M10

INK-M20,




1 MJC-760
on LPT1

3.1

MJC-760
on LPT1




2




3

인쇄 커리러지 관리자
인쇄 커리러지 관리자




4






5

가




6

가



가
가
5.5 3

가



1 MJC-760 on LPT1

- 3.1 MJC-760 on LPT1




2

3




A4

가




4

1




2



3

가



가

가




1 1

가


가

가



A4	3.4 mm	12.7 mm(;19.5 mm)	3.4 mm
Letter	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
Legal	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
B5	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
A5	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
A6	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
Executive	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm

가



#6 3/4	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
#7 3/4	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
#9	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
#10	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
DL	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
C5	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
C6	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
B5	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm
Baronial	3.4 mm	12.7 mm(;19.5 mm)	6.3 mm


MEMO

6.

!

!

가



가

			1.4 1.4
	가 가	가	3.4 1.6 4.2
	가 가	가	3.4 1.6 4.2
가	가		5.5 5.1
가	가		5.5 5.1
가	가		5.5 5.1
가			5.5 5.1
가			5.5 5.1



CD-RM

가 ?

가

1

가 ? (1.4)

2

가 ?

가

1

가 ? (5.5)

2

DOS KS/KSSM
 ? , DOS (V2.1 가),
 DOS AutoCAD(R11)
 가 가

3

가 ? (95/98: 2.2 , 3.1: 2.10)

가 .

1

.(5.6)

2

.(5.1)

3

가 ? (5.5)

가 가 .

1

? on LPT1
 가
 . (5.5)

가 ?

가

()

가

95/98

1) , ‘ , ’
2) ‘ SAMSUNG MJC-760 ’
3) , ‘ , ’

3.1

1) , ‘ , ‘ , ’
2) SAMSUNG MJC-760 on LPT1 ’ ‘
3) ,

1 ?

2 ? (1.4)

MJC-760 가

1 (DEVICE ID)가 .

가 ?()

가

3.1



1 ?

2 3.1 가 386 가

3 DOS

DOS 6.0

C:\>memmaker

C:\>ver <Enter>

3.1



1 3.1 가 386 가




가




1 가 (6.3)

2 3.1 Windows

가



DOS 가 ?



DOS (KS/KSSM)
가



DOS 가 KS/KSSM

1. C:myjet>mjrnp <Enter>

2. (/) (KS/KSSM)

3. KS/KSSM
C:myjet>mjprn <Enter>
mjprn “ / 3.15
가 ... ” 가

4. < Ctrl>, < Alt>, </>
KS/KSSM
(44 KS/KSSM /)

5. 가 가

6. <Esc> KS/KSSM

7.

DOS 가 ? ()




Figure 3-11 illustrates the comparison between HWP (Hangeul Writing Program) and HNC (Hangeul Nongseong Compiler) across four panels, showing the differences in their output and cursor behavior.

- Panel 1 (Top Left):** Shows the HWP output for the input '한글' (HWP) and '가' (HNC). The HWP output is '한글' and the HNC output is '가'.
- Panel 2 (Top Right):** Shows the HWP output for the input '한글' (HWP) and '가' (HNC). The HWP output is '한글' and the HNC output is '가'.
- Panel 3 (Bottom Left):** Shows the HWP output for the input '한글' (HWP) and '가' (HNC). The HWP output is '한글' and the HNC output is '가'.
- Panel 4 (Bottom Right):** Shows the HWP output for the input '한글' (HWP) and '가' (HNC). The HWP output is '한글' and the HNC output is '가'.

DOS 가 ? ()

AutoCAD 가 .

AutoCAD(R11/R12/R13)
가

1

' DOS
,
, ' DOS
AutoCAD
(R11/R12/R13) '
(.3.22)

Plotter
' SAMSUNG MyJet-
? AutoCAD
가(Add Plotter)
' SAMSUNG MyJet- Printer '
(. (3.22)

AutoCAD(R11/R12/R13)
' SAMSUNG MyJet-
가
가




1

KS/KSSM 가
? ' C:\>myjet\mjprn/u <Enter>
KS/KSSM
(. (3.23)

AutoCAD R10
가



1

AutoCAD
' DOS
AutoCAD R10 가(Add Plotter)
KS/KSSM
KS/KSSM



DOS 가 ? ()

가 .



?

	가
--	---

가
가 .



1	?	(75g/m ²)	60 ~ 70
2	가	가	가
3	가	?	
4	가	?	
5		"A4"	

가
가 .



1	가	가	가
2	?	(75g/m ²)	60 ~ 70
3	가	?	
4		가	
5	가	?	

? ()

가
가



1

?

(75g/m²)
가

60 ~ 70

2

가

가

?

가

3

,

가

,

?

4

(,)
가 ?

1

, , ,
(4.2)

5

(, 가 ?)

1

, , ,
(4.6)

6


-

가 ?

1

, , ,
(4.4)

가 ?



1 (5.1)

?

2


가 ? (5.2)

3

가 ? , 가

4

? (5.5)




1 가 (5.4)

?

2

(3.6)

가 ? ()



1

가 ? (3.6)


2

가 ?

3

/

.(3.6)



1

가 ? (3.6)

2

가 ?

3

/

.(3.6)

/

(CMY)

가 ?

가



1

‘ ’

‘ ’

?

(3.6)

2

?

(,)

.(3.6)

3

?

가

4

(Screen Saver)가

?

가

5

?

?

가 .



1

가 ?

2

가
?

3
가

.(5.1)

가 .



1

가 ‘ ’ ? ‘ ’ .(3.4)

.



1

가 (3.6)

2

/ ‘ ’ ‘ ’ (3.6)
?

3

가
?

?

가

1

?

가

2

가

?

1

가

?

가

가

2

?

(75g/m²)
가

60 ~ 70

1

) (, , 가 ?

1

$$. (4.7)$$

2

가 ?

1

$$\cdot (4.5)$$

3



가

가



?




가



? ()





?















가 , ()

가 가





가


가



가




가



가



가



	<ul style="list-style-type: none">																
	<table><tr><th></th><th>(×)</th></tr><tr><td>A4</td><td>210.0 mm x 297.0 mm (8.27Inch x 11.69Inch)</td></tr><tr><td>Letter</td><td>215.9 mm x 279.4 mm (8.50Inch x 11.00Inch)</td></tr><tr><td>Legal</td><td>215.9 mm x 355.6 mm (8.50Inch x 14.00Inch)</td></tr><tr><td>B5</td><td>182.0 mm x 257.0 mm (7.17Inch x 10.12Inch)</td></tr><tr><td>A5</td><td>148.0 mm x 210.0 mm (5.83Inch x 8.27Inch)</td></tr><tr><td>A6</td><td>105.0 mm x 148.5 mm (4.13Inch x 5.85Inch)</td></tr><tr><td>Executive</td><td>184.2 mm x 266.7 mm (7.25Inch x 10.50Inch)</td></tr></table>		(×)	A4	210.0 mm x 297.0 mm (8.27Inch x 11.69Inch)	Letter	215.9 mm x 279.4 mm (8.50Inch x 11.00Inch)	Legal	215.9 mm x 355.6 mm (8.50Inch x 14.00Inch)	B5	182.0 mm x 257.0 mm (7.17Inch x 10.12Inch)	A5	148.0 mm x 210.0 mm (5.83Inch x 8.27Inch)	A6	105.0 mm x 148.5 mm (4.13Inch x 5.85Inch)	Executive	184.2 mm x 266.7 mm (7.25Inch x 10.50Inch)
	(×)																
A4	210.0 mm x 297.0 mm (8.27Inch x 11.69Inch)																
Letter	215.9 mm x 279.4 mm (8.50Inch x 11.00Inch)																
Legal	215.9 mm x 355.6 mm (8.50Inch x 14.00Inch)																
B5	182.0 mm x 257.0 mm (7.17Inch x 10.12Inch)																
A5	148.0 mm x 210.0 mm (5.83Inch x 8.27Inch)																
A6	105.0 mm x 148.5 mm (4.13Inch x 5.85Inch)																
Executive	184.2 mm x 266.7 mm (7.25Inch x 10.50Inch)																

	<ul style="list-style-type: none">
	<p>100</p> <p>(10mm)</p> <ul style="list-style-type: none"> <p>: 1</p>
	<p>: 60g/m² ~ 90g/m²(16 lb ~ 24 lb)</p> <p>: 75 g/m² ~ 90 g/m²(20 lb ~ 24 lb)</p>

	AC 220 V
	60 Hz

	DC 30 V
	40 VA

	DC 30 V
	0.83 A


	11 W
	26 W
	31 W

	<ul style="list-style-type: none">: 455 mm: 195 mm: 190 mm		3.8 Kg ()
			49 dB(A)

	<ul style="list-style-type: none">10 ~ 40		<ul style="list-style-type: none">8 % ~ 80 % RH
	<ul style="list-style-type: none">16 ~ 32		<ul style="list-style-type: none">20 % ~ 60 % RH
	<ul style="list-style-type: none">10 ~ 52		

	<ul style="list-style-type: none">: 56
	<ul style="list-style-type: none">: 48 (Cyan, Magenta, Yellow)

/ / /

	INK-M10(M1), INK-M20(M2)	080-023-8484 () 가 C&C  A/S
	INK-C10(C1)	
(A4/200)	A4-MJ/SIJ	
(A4/50)	OHP-MJ/SIJ	
(A4/10)	P-SHIRTS	
(A4/50)	P-NAME	
(A5/50)	P-CARD	
(A4/50)	P-POST	

6 ,

가


가

. (5.1)

가

()






()

14

7

5



1

		SERIAL NO.	

1 ()

10			
1			
가	3		
	4		
가	() 가		가
	() 가		가 10% 가

(가 가)

• • • • (,)	1
	2
• • • •	1

•
•
•
•
•
•
가

)110V 220V


• (, ,)
• (, , , , , , , ,)



삼성전자주식회사

:

259



1588-3366

가

02-3451-3366	051-550-3366
0391-652-3366	0652-240-3366
053-430-3366	062-250-3366
042-480-3366	064-742-3366



02-541-3000 080-022-3000
051-861-3000 080-051-3000



PC

PC ()
GO SEC(, , , ,)



<http://www.sec.co.kr/printer>



<http://www.gosamsung.co.kr>



AS

?

가

가